



Chapter 3: Computer Assembly



IT Essentials v6.0

Cisco | Networking Academy®
Mind Wide Open™



Chapter 3 - Sections & Objectives

- 3.1 Assemble the Computer
 - Build a Computer.
- 3.2 Boot the Computer
 - Explain how to verify BIOS and UEFI settings.
- 3.3 Upgrade and Configure a Computer
 - Explain how to upgrade components in a computer system to meet requirements.
- 3.4 Chapter Summary



3.1 Assemble the Computer



Cisco | Networking Academy®
Mind Wide Open™



Assemble the Computer

Open the Case and Connect the Power Supply

- Open the Case
 - Prepare the workspace before opening the computer case.
 - There are also different methods for opening cases.
 - Consult the case's documentation to learn how to open a particular computer case.

- Install the Power Supply
 - Modern cases include a specific area for the power supply.
 - Consult the case and power supply's manuals for more information.
 - Secure the power supply to the case using the proper screws.
 - Make sure that all the screws are in place and tightened correctly.
 - Use a cable tie to secure all the cables out of the way.





Assemble the Computer

Install the Motherboard

- Install the CPU, Heatsink and Fan Assembly
 - Install the CPU and the heat sink and fan assembly on the motherboard before the motherboard is placed in the computer case.
 - CPU and motherboard are highly sensitive to ESD.
 - Use the markings on the CPU and motherboard to properly align and install the CPU.
 - Thermal compounds help dissipating CPU heat and are strongly recommended.
 - Heat sinks and fans should also be properly aligned for correct installation.





Assemble the Computer

Install the Motherboard (Cont.)

■ Install RAM

- RAM may be installed on the motherboard before the motherboard is installed in the computer case.
- RAM is highly sensitive to ESD.
- Use the documentation provided with the motherboard and RAM for more information on RAM installation.
- RAM is designed to install in one specific direction. Make sure to check the markings before applying pressure.

■ Install the Motherboard

- When the CPU, heat sink, fan and RAM are installed on the motherboard, the motherboard can be installed in the case.
- Use proper plastic standoffs to securely install the motherboard in the case and avoid short circuits.
- The I/O connectors on the back of the motherboard should be aligned with the openings in the I/O plate.





Assemble the Computer

Install the Drives

■ Install the Internal Drive

- Internal drives are installed in empty hard drive bays found in the case.
- The empty bay must match the drive's size.
- Leave some space between the drives when installing multiple drives.
- The drive's metal plate should face up to allow better heat dissipation.

■ Install the Optical Drive

- Commonly installed in 5.25 inch (13.34 cm.) drive bays
- Optical drives are accessed from the front of the case.





Assemble the Computer

Install the Adapter Cards

■ Types of Adapter Cards

- Examples of adapter cards include: video, Ethernet and wireless network, sound, TV tuner, video capture, external ports such as USB, FireWire, Thunderbolt.
- PCI and PCIe are two common slots for adapter cards.

■ Install a Wireless NIC

- Commonly use PCI or PCIe expansion slots or USB connectors.
- Locate an empty expansion slot and follow the manufacturer instructions for proper installation.

■ Install a Video Adapter Card

- Commonly uses PCI, AGP or PCIe expansion slots.
- Many video cards require an external power supply.
- Due to their cooling systems, modern video cards take more space inside the case. Be sure to plan for the extra space needed.





Assemble the Computer

Install the Cables

- **Connect Power to Motherboard**
 - Motherboards require power to operate.
 - Motherboards also relay power to components and adapter cards.
 - Refer to the motherboard and power supply documentation to ensure compatibility of power supply and motherboard connectors.
 - Modern motherboards require two power connectors for operation.
 - Align the proper connectors and press it down against the motherboard.
 - Remember: If it is difficult to plug in a cable or other part, something is wrong. Do not use more force.
- **Connect Power to the Internal Drive and Case Fans**
 - Some drives accept different power connectors for compatibility.
 - 4-pin Molex and 15-pin SATA are common hard drive connectors.
 - Align the proper connectors and gently press it against the other end.
 - Fans also need power and use 3-pin or 4-pin connectors.





Assemble the Computer

Install the Cables (Cont.)

- **Connect the Internal Data Cables**
 - The internal and optical drives typically connect to the motherboard through SATA cables.
 - SATA are keyed to fit in only one direction. They also have locking tabs.
 - Locate the SATA socket on the motherboard, align the connector and press it gently to connect.
- **Install the Front Panel Cables**
 - Most of the case's front panel controls, ports and connectors also connect to the motherboard.
 - Front panel cables and connected are usually not keyed.
 - The front panel cables that must be connected to the motherboard include: power button, reset button, status LEDs and the speakers.






Assemble the Computer

Install the Cables (Cont.)

- Reassemble the Case
 - Double-check cables and components to ensure that all are correctly installed.
 - Secure case cover screws.
 - Watch for small wires hanging off the case to avoid pinching them.
- Install the External Cables
 - The power cable should be the last cable to be connected.
 - External cables include: video cable, USB cables, network cable, speakers and microphones.





3.2 Boot the Computer



Cisco | Networking Academy®
Mind Wide Open™



Boot the Computer

POST, BIOS, UEFI

- BIOS Beep Codes and Setup
 - As the computer boots, it checks its own critical components (POST).
 - The firmware (BIOS or UEFI) uses beep codes to indicate any errors.
 - Critical components include: video card(s), memory and I/O devices.
 - A POST card can be used to help debugging POST problems.
- BIOS and CMOS
 - BIOS is a firmware; all motherboards need a firmware to operate.
 - Some aspects of BIOS can be configured by the user.
 - BIOS settings are stored in CMOS to survive reboots.





Boot the Computer

POST, BIOS, UEFI (Cont.)

- BIOS Setup Program
 - Allows the user to change BIOS settings.
 - Common reasons for changes in the BIOS are system optimizations and hardware changes.
 - Can be accessed by pressing the proper key or key combination during startup.
 - Refer to the motherboard documentation for details.
- UEFI Setup Program
 - UEFI is also a firmware.
 - Performs the same tasks performed by BIOS and more.
 - Designed to eventually make BIOS obsolete.
 - Can also be accessed by pressing the proper key or key combination during startup.
 - Refer to the motherboard documentation for details.






Boot the Computer

BIOS and UEFI Configuration

- BIOS Component Information
 - BIOS or UEFI can provide information about the installed hardware, including: CPU, RAM, hard drives and optical drives.
 - This information can be useful when troubleshooting.
- BIOS Configurations
 - Allows for customizing specific aspects of the computer hardware
 - The customizable variables and features are manufacturer specific.
 - BIOS settings typically have a direct impact on hardware; incorrect settings have an adverse effect.
 - Main BIOS configuration settings include: time and date, disable devices, boot order, clock speed, virtualization.





Boot the Computer

BIOS and UEFI Configuration (Cont.)

- BIOS Security Configuration
 - BIOS includes features to protect BIOS settings, data and recovery options.
 - Common BIOS security features include: BIOS passwords, Drive Encryption, LoJack, Trusted Platform Module and Secure Boot.
- BIOS Hardware Diagnostics and Monitoring
 - Useful for monitoring the activity of the motherboard and connected hardware.
 - Common BIOS hardware diagnostic features include: temperature (CPU, RAM and airflow), fan speeds, voltages, clock and bus speeds, intrusion detection and built-in diagnostics.





Boot the Computer


BIOS and UEFI Configuration (Cont.)

■ UEFI EZ Mode

- Newer computers replaced BIOS by UEFI firmware.
- UEFI includes many new major features to address different BIOS shortcomings.
- Among the changes introduced by UEFI is a new GUI.
- EZ Mode provides an overview of basic system information.

■ UEFI Advanced Mode

- Advanced Mode includes more involved features including: Ai Tweaker, Advanced, Monitor and Boot.





3.3 Upgrade and Configure a Computer



Cisco | Networking Academy®
Mind Wide Open™



Upgrade and Configure a Computer

Motherboard and Related Components

- **Motherboard Component Upgrades**
 - Motherboard upgrades typically lead to other components needing to be upgraded.
 - The new motherboard may also require a new case.
- **Upgrade the Motherboard**
 - Record the front panel wire locations if the case documentation is not available.
 - The power should be connected last.
 - Adapters may be needed.
- **Upgrade the BIOS**
 - Firmware updates bring fixes and new features.
 - BIOS and UEFI include tools to facilitate upgrades.
 - Modern firmware no longer requires ROM chip replacement
 - Consult the manufacturer's website to download firmware updates.



Upgrade and Configure a Computer Motherboard and Related Components (Cont.)

- Upgrade CPU and Heat Sink and Fan Assembly
 - The new CPU will likely require a new heat sink and fan assembly.
 - The firmware tools can be used to monitor the temperature, fan speed and airflow.
- Upgrade RAM
 - When upgrading RAM, be sure to consider:
 - Type of RAM currently in use.
 - Are there available RAM slots?
 - RAM module installation scheme.
 - New RAM speed, latency, type, and voltage. Does it all match the existing RAM?






Upgrade and Configure a Computer Storage Devices

■ Upgrade Storage Devices

- Ensure the motherboard supports the data transfer standards used by the new drive. (ATA, SATA, etc)
- A new drive can provide:
 - More storage space
 - Increase read/write speed
 - Space for a second operating system
 - Increased the system swap file
 - Fault tolerance
 - Backup





Upgrade and Configure a Computer Peripheral Devices

- Upgrade Input and Output Devices
 - Keyboards and mice upgrades can be done to address user disabilities, poor ergonomics or to accommodate a special task.
 - Monitor upgrades can provide better resolution, more screen area or better image quality.
 - Multiple monitors is considered to be a monitor upgrade.
 - New devices require new drivers; consult the manufacturer's website to download the latest driver version.
 - Signed drivers should be preferred.





3.4 Chapter Summary



Cisco | Networking Academy®
Mind Wide Open™



Chapter Summary

Summary

This chapter detailed the steps used to assemble a computer and to boot the system for the first time. These are some important points to remember:

- Computer cases come in a variety of sizes and configurations. Many of the computer components must match the form factor of the case.
- The CPU is installed on the motherboard with thermal compound and a heat sink and fan assembly.
- RAM is installed in RAM slots on the motherboard.
- Adapter cards are installed in PCI and PCIe expansion slots on the motherboard.
- Hard disk drives are installed in 3.5 in. (8.9 cm.) drive bays located inside the case.
- Optical drives are installed in 5.25 in. (13.34 cm.) drive bays that can be accessed from outside the case.
- Power supply cables are connected to all drives and the motherboard.
- Internal data cables transfer data between the motherboard and the drives.



Chapter Summary

Summary (Cont.)

- External cables connect peripheral devices to the computer.
- Beep codes signify hardware malfunctions.
- The BIOS setup program displays information about the computer components and allows the user to change system settings.
- Computer components require periodic upgrades and replacement parts.
- Additional hard drives can provide fault tolerance and the ability to install additional operating systems.

Cisco | Networking Academy®
Mind Wide Open™

